

A photograph of a playground structure, specifically a climbing net, set on a bright yellow safety mat made of EPDM granules. The mat covers the ground around the structure. In the background, there is a brick building with large windows.

SAFESYSTEM EPDM GRANULES

Safety, vibrant colors
and durability in one

Safesystem EPDM granules are the ideal solution for playgrounds, sports courts, and recreational areas. They are UV-resistant, durable, and slip-resistant – and available in a wide range of colors, allowing you to design inspiring and safe environments for both children and adults. Create safe, inspiring and functional outdoor spaces with Safesystem EPDM.


















- ✓ Shock-absorbing and impact-friendly
- ✓ Long-lasting color and weather resistance
- ✓ Low maintenance and easy to clean
- ✓ Endless design possibilities with custom patterns

Safer play
Smarter surfaces
Superior performance

SAFEFLOOR

STANDARD

Virgin EPDM in 21 standard colours

	BINDER RECOMMENDATION		GRAIN SIZE	STOCK ITEM
	UV Binder (Aliphatic)	Standard Binder (Aromatic)		
 RED 01 RAL 3013		■	1 - 4 mm	■
 GREEN 02 RAL 6009		■	1 - 4 mm	■
 LIGHT GREEN 03 RAL 6017	■	■	1 - 4 mm	■
 BLUE 04 RAL 5017		■	1 - 4 mm	■
 LIGHT BLUE 05 RAL 5012	■	■	1 - 4 mm	■
 ORANGE 06 RAL 2005	■	■	1 - 4 mm	■
 YELLOW 07 RAL 1016	■	■	1 - 4 mm	■
 GOLDEN YELLOW 08 RAL 1033		■	1 - 4 mm	■
 BROWN 09 RAL 8011		■	1 - 4 mm	■
 LIGHT BROWN 10 RAL 1011		■	1 - 4 mm	■
 GREY 11 RAL 7015	■	■	1 - 4 mm	■
 LIGHT GREY 12 RAL 7001	■	■	1 - 4 mm	■
 EGGSHELL 13 RAL 1014	■		1 - 4 mm	■
 PINK 14 RAL 4010	■	■	1 - 4 mm	■
 PURPLE 15 RAL 4007	■		1 - 4 mm	■
 WHITE 16 RAL 9016	■		1 - 4 mm	■
 GRASS GREEN 17 RAL 6020		■	1 - 4 mm	■

* Please note that the product images are for guidance only. For the most accurate color representation, please refer to the RAL colour code.

SAFESYSTEM EPDM

STANDARD

Virgin EPDM in 21 standard colours



NAVY BLUE 18
RAL 5002



ROSE RED 19
RAL 3027



BLUE GREY 20
RAL 5020



TURQUOISE 21
RAL 5018



BLACK 22
RAL 7016

BINDER RECOMMENDATION

UV Binder
(Aliphatic)

Standard Binder
(Aromatic)

GRAIN SIZE

STOCK ITEM

	UV Binder (Aliphatic)	Standard Binder (Aromatic)	GRAIN SIZE	STOCK ITEM
NAVY BLUE 18 RAL 5002		■	1 - 4 mm	■
ROSE RED 19 RAL 3027	■	■	1 - 4 mm	■
BLUE GREY 20 RAL 5020	■	■	1 - 4 mm	■
TURQUOISE 21 RAL 5018	■		1 - 4 mm	■
BLACK 22 RAL 7016		■	1 - 4 mm	■


RECYCLED

Carefully selected recycled EPDM


Please note that color variations may occur



GREY MIX
Recycled mix of grey nuances



BLACK
Recycled mix of black nuances



TENNIS & PADEL
Recycled tennis & padel balls, primarily a mix of black, beige, grey and yellow colors



1 - 3 mm



1 - 4 mm



1 - 3 mm



SAFESYSTEM BLEND

Colorful mix of virgin and recycled EPDM

(1/3 recycled + 2/3 virgin EPDM)



SAFESYSTEM BLEND LIGHT GREEN
1/3 recycled Grey Mix
+ 2/3 Light Green 03



SAFESYSTEM BLEND GOLDEN YELLOW
1/3 recycled Grey Mix
+ 2/3 Golden Yellow 08



SAFESYSTEM BLEND LIGHT GREY
1/3 recycled Grey Mix
+ 2/3 Light Grey 12



SAFESYSTEM BLEND NAVY BLUE
1/3 recycled Grey Mix
+ 2/3 Navy Blue 18



SAFESYSTEM BLEND ROSE RED
1/3 recycled Grey Mix
+ 2/3 Rose Red 19



1 - 3,5 mm



1 - 3,5 mm



1 - 3,5 mm




1 - 3,5 mm



1 - 3,5 mm



Critical Fall Height (CFH)



Safesystem EPDM surfaces are ideal for areas where fall protection is required, such as playgrounds and sport facilities.

If installed on a loose surface, we recommend installing a minimum of 40 mm (25/15).

Installations on hard surfaces such as concrete and asphalt can be done with a 20 mm pure EPDM top layer, if no fall height is required.

We recommend applying a primer to the area, prior to installing the EPDM.



Binders, primers & tools

- everything you need to work effectively and to make high-quality, long-lasting installations

We offer a range of quality binders and primers, as well as the tools needed, to ensure a smooth and efficient installation and a professional result.

Whether you are installing during hot summer days, or on the colder days at the beginning or end of the season, we provide premium products that will help you get good results even in difficult conditions.

Reach out to us for guidance, product recommendations or more information – we are here to help!

SAFEFLOOR ApS
Astrupvej 4a
DK - 8550 Ryomgaard

Email: info@safefloor.dk
Phone: +45 8615 1925

DK website: www.safefloor.dk
SE website: www.safefloor.se

SAFEFLOOR